

MESSAGE NO: 5243308

MESSAGE DATE: 08/31/2015

MESSAGE STATUS: Active

CATEGORY: Antidumping

TYPE: SCO-Scope

PUBLIC ☒

NON-PUBLIC ☐

SUB-TYPE: INSCO-In Scope

FR CITE:

FR CITE DATE:

REFERENCE  
MESSAGE #  
(s):

CASE #(s): A-201-805

EFFECTIVE DATE: 08/19/2015

COURT CASE #:

PERIOD OF REVIEW:

TO

PERIOD COVERED:

TO

Notice of Lifting of Suspension Date:

TO: { Directors Of Field Operations, Port Directors }

FROM: { Director AD/CVD & Revenue Policy & Programs }

RE: Scope determination on antidumping duty order on certain circular welded non-alloy steel pipe from Mexico (A-201-805)

1. On 08/19/2015, in response to a request by Perfiles y Herrajes LM, S.A. de C.V., Commerce issued a final scope determination that certain black ASTM A-513 tubing which Perfiles y Herrajes LM, S.A. de C.V., exports is within the scope of the antidumping duty order on certain circular welded non-alloy steel pipe from Mexico (A-201-805). The Perfiles y Herrajes LM, S.A. de C.V., black ASTM A-513 tubing within the scope of the antidumping duty order on certain circular welded non-alloy steel pipe from Mexico (A-201-805) is in the following nominal dimensions:

0.840 inches (outer diameter) X 0.0740 inches (wall thickness) X 7.32 meters (length)  
2.875 inches (outer diameter) X 0.1790 inches (wall thickness) X 6.40 meters (length)  
2.875 inches (outer diameter) X 0.1793 inches (wall thickness) X 9.75 meters (length)  
4.500 inches (outer diameter) X 0.2240 inches (wall thickness) X 9.75 meters (length)  
4.500 inches (outer diameter) X 0.2240 inches (wall thickness) X 12.80 meters (length)

2. Because the imported products are circular tubes that are neither galvanized nor coated with zinc, and are single stenciled as ASTM A-513, and meet the ASTM A-513 specification for “as welded tubing,” and do overlap with the diameter and wall thickness combinations (i.e., “nominal pipe sizes”) of pipe (e.g., ASTM A-53) for Schedules 10, 40, or 80, and have not been hydrostatically tested, and have a carbon content not greater than 0.13 percent, but have not been shown to meet the Rockwell B Hardness test (that is, a minimum of 55 for grade 1010, and a minimum of 50 for lower carbon grades (e.g., 1008)), nor have they been shown to have a minimum elongation (in 2 inches) of 24 percent for pipes and tubes with a diameter over 1.5 inches or have a minimum elongation (in 2 inches) of 15 percent for pipes and tubes with a diameter of 1.5 inches or less, Commerce found the Perfiles y Herrajes LM, S.A. de C.V.’s black ASTM A-513 tubing in the dimensions listed above in paragraph 1 to be within the scope of the order.

3. Continue to suspend liquidation of entries of certain circular welded non-alloy steel pipe from Mexico, including the Perfiles y Herrajes LM, S.A. de C.V.’s black ASTM A-513 tubing in the dimensions listed and described above, subject to the antidumping duty order on certain circular

welded non-alloy steel pipe from Mexico.

4. If there are any questions by the importing public regarding this message, please contact the Call Center for the Office of AD/CVD Operations, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce at (202) 482-0984. CBP ports should submit their inquiries through authorized CBP channels only. (This message was generated by O#VI: MF.)

5. There are no restrictions on the release of this information.

Sherri L. Hoffman

## Company Details

\*Party Indicator Value:

I = Importer, M = Manufacturer, E = Exporter, S = Sold To Party